

Name of Work: Renovation of Security Barrack no. 2 at NIT Silchar.

Completion period: 30 days.

Schedule of Rate

Sl. No.	Description of Item	Unit	Quantity	Rate in word	Rate in Fig	Amount
1	Demolishing the plastering from walls/ R.C.C. and P.C.C. members without causing any damage to the wall/ member upto any height including disposal of debris as directed for all levels.	Cum	0.50			
2	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty. Float glass panes of thickness 4 mm	Sqm	5.00			
3	Supplying fitting and fixing G.I. Pipes of following sizes, with all necessary 'R' brand or similar approved G.I. Fittings such as bend, tee, elbow, reducer, nipple, plug, long screw fitting, H.W. clamps etc.complete at all levels including below G.L. as directed and specified. Using Tata (medium)					
	(a) 40mm dia	Rmt	6.00			
	(b) 25mm dia	Rmt	6.00			
	(c) 15mm dia	Rmt	12.00			
4	Supplying fitting and fixing C.P. bib cock 15mm dia of approved brand directed and specified. (G.I. & C.P pipes will be measured separately). Sona brand	Each	5.00			

Sl. No.	Description of Item	Unit	Quantity	Rate in word	Rate in Fig	Amount
5	Supplying, fitting and fixing PVC pipes of 6 Kg/cm ² (Supreme/Prince) or other ISI approved including joining ,fitting and fixing wiyh clamps etc.as necessary complete at all levels including below G.L as directed and specified. 110mm dia	Rmt	6.00			
6	Supplying, fitting and fixing 87.5 degree PVC bend of (Supreme/Prince) or other ISI approved including joining ,fitting and fixing etc.as necessary complete at all levels including below G.L as directed and specified. 110mm dia	Each	2.00			
7	Supplying fitting and fixing 87.5 degree PVC bend with door of (Supreme/Prince) or other ISI approved including joining , fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified. 110mm dia	Each	2.00			
8	Removing white or colour wash by steel wire brushing and/ or scraping, sand papering and preparing the wall surface smooth including necessary repairs to scratches complete	Sqm	3830.00			
9	Distempering (two coat) with oil bound distemper of approved brand and manufacture and of required shade on old wall surface to give an even shade, after throughly brooming the surface free from dirt, loose scales and other foreign matter and also including preparing the surface even and sand papered smooth.	Sqm	2375.00			

Sl. No.	Description of Item	Unit	Quantity	Rate in word	Rate in Fig	Amount
10	Finishing old / new wall with water proofing weather coat smooth anti-fungal exterior painting of approved make of Berger paint of required shade after cleaning and clearing the surface etc. including scaffolding complete as directed at all levels (two coats)	Sqm	1455.00			
11	Painting one coat (excluding priming coat) on previously painted steel and other metal surface with enamel paint of approved brand and manufacture(Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surface of all dirt, dust and other foreign matter. General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	278.00			
8	15 mm thick Cement plaster in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles, not exceeding 80mm girth and finished even and smooth including curing complete as directed. In cement mortar 1:4	Sqm	8.00			
Total = Rs.						

Rupees